

## EAST Search History

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| S1    | 146  | 380/217.ccls. AND<br>(@pd<"20021101" or<br>@ad<"20021101" or<br>@prad<"20021101" or<br>@rlad<"20021101")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/01/24 08:05 |
| S2    | 0    | (CDMA OR code division multiple<br>access) AND 380/217.ccls. AND<br>(@pd<"20021101" or<br>@ad<"20021101" or<br>@prad<"20021101" or<br>@rlad<"20021101")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/01/24 08:06 |
| S3    | 658  | (CDMA OR code division multiple<br>access) AND ("380".clas. OR "713".<br>clas. OR "726".clas.) AND<br>(@pd<"20021101" or<br>@ad<"20021101" or<br>@prad<"20021101" or<br>@rlad<"20021101")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/01/24 08:10 |
| S4    | 21   | parallel AND walsh AND hadamard<br>AND (CDMA OR code division<br>multiple access) AND ("380".clas.<br>OR "713".clas. OR "726".clas.) AND<br>(@pd<"20021101" or<br>@ad<"20021101" or<br>@prad<"20021101" or<br>@rlad<"20021101")                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/01/24 08:11 |
| S5    | 21   | parallel AND walsh AND (hadamard<br>OR fast hadamard transform) AND<br>(CDMA OR code division multiple<br>access) AND ("380".clas. OR "713".<br>clas. OR "726".clas.) AND<br>(@pd<"20021101" or<br>@ad<"20021101" or<br>@prad<"20021101" or<br>@rlad<"20021101") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/01/24 08:21 |
| S6    | 3    | "4446530".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/01/24 08:13 |

## EAST Search History

|     |   |   |  |     |    |                  |
|-----|---|---|--|-----|----|------------------|
| S7  | 0 | (R\$1CQIC OR reverse channel quality indicator channel) AND parallel AND walsh AND (hadamard OR fast hadamard transform) AND (CDMA OR code division multiple access) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20021101" or @ad<"20021101" or @prad<"20021101" or @rlad<"20021101") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/01/24 08:21 |
| S8  | 0 | (quality indicator channel) AND parallel AND walsh AND (hadamard OR fast hadamard transform) AND (CDMA OR code division multiple access) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20021101" or @ad<"20021101" or @prad<"20021101" or @rlad<"20021101")                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/01/24 08:22 |
| S9  | 6 | (quality indicator) AND parallel AND walsh AND (hadamard OR fast hadamard transform) AND (CDMA OR code division multiple access) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20021101" or @ad<"20021101" or @prad<"20021101" or @rlad<"20021101")                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/01/24 08:22 |
| S10 | 6 | (quality indicator) AND parallel AND walsh AND (hadamard OR fast hadamard transform OR FHT) AND (CDMA OR code division multiple access) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20021101" or @ad<"20021101" or @prad<"20021101" or @rlad<"20021101")                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/01/24 08:22 |
| S11 | 2 | "5267261".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/01/24 08:28 |